

SAFETY DATA SHEET

MALATHION 85E PCP# 8372

IN CASE OF EMERGENCY DUE TO A MAJOR SPILL, FIRE OR POISONING INVOLVING THIS PRODUCT CALL DAY OR NIGHT, 1-800-561-8273 or CHEMTREC 1-800-424-9300

1. CHEMICAL PRODUCT AND COMPANY INFORMATION

MANUFACTURED FOR:

LOVELAND PRODUCTS CANADA, INC.
789 Donnybrook Drive • Dorchester, Ontario N0L 1G5

24-Hour Emergency Phone: 1-800-561-8273
Additional Emergency Phone (Canutec): 1-613-996-6666 (Collect)

CHEMICAL IDENTITY: Malathion: O-O-Dimethyl phosphorodithioate of diethyl mercaptosuccinate

PRODUCT USE: Insecticide – Group 1B

PCP REG. NO.: 8372

SDS Number: 8372-15-LPI

SDS Revision: Section 1

Date of Issue: 09/12/15

Supersedes: 09/12/12

2. HAZARDS IDENTIFICATION SUMMARY

KEEP OUT OF REACH OF CHILDREN – WARNING - POISON – Harmful if swallowed. Avoid contact with skin. Avoid breathing of spray mist. Avoid contamination of feed and foodstuff. Keep out of reach of children. For use in mushroom houses and empty grain storage facilities: Use only with adequate ventilation. After using this product ventilate thoroughly before occupying enclosed spaces. Do not allow contact with treated surfaces until sprays have dried.

This product is straw to amber coloured liquid with a slightly aromatic odour.

WARNING STATEMENTS:

NOTE TO PHYSICIAN: This product is an organophosphate (cholinesterase-inhibiting) insecticide. Atropine is antidotal and should be given in multiple doses as necessary until the patient is atropinized. In severe cases 2-PAM may be given provided therapy begins within 24 hours of exposure. Monitor serum and RBC cholinesterase. Administer intravenous fluids cautiously, if needed, to correct dehydration. Symptoms of cholinesterase inhibition include salivation, gastrointestinal hypermotility, abdominal cramping, nausea, diarrhea, sweating, miosis, tearing, blurred vision, headache, dizziness, ataxia, bradycardia, dyspnea, cyanosis, and muscle twitching or tremors. In extreme cases, tetany, mental confusion, incontinence, weakness, collapse, paralysis, convulsive seizures, and even death, can occur.

3. COMPOSITION, INFORMATION ON INGREDIENTS

<u>Chemical Ingredients:</u>	<u>Percentage by Weight:</u>	<u>CAS No.</u>	<u>TLV (Units)</u>
Malathion	85.00	121-75-5	15 mg/m ³ (skin)
Inert Ingredients	15.00		

4. FIRST AID MEASURES

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to Atropine. Vomiting may cause aspiration pneumonia.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273. Have the product container or label with you when calling a poison control centre or doctor, or going for treatment.

5. FIRE FIGHTING MEASURES

FLASH POINT (°F/Test Method): 158.0°F / 70°C (Closed Cup)

FLAMMABLE LIMITS (LFL & UFL): Not established

EXTINGUISHING MEDIA: Foam, dry chemical, carbon dioxide, and water spray (fog).

HAZARDOUS COMBUSTION PRODUCTS: This product will emit toxic fumes when burned, including dimethyl sulfide, sulfur dioxide, phosphorous pentoxide, and oxides of carbon.

SPECIAL FIRE FIGHTING PROCEDURES: Remain upwind. Avoid breathing smoke. Wear self-contained breathing apparatus and full protective gear.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapours and fumes from fire may be hazardous. If water is used to fight fire or cool containers, dike to prevent runoff and contamination of municipal sewers and waterways.

6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

For small spills, absorb with an absorbent material such as pet litter. Sweep up and transfer to containers for possible land application according to label use or for proper disposal. Check local or provincial regulations for proper disposal. Flush the area with water to remove any residue.

CAUTION: Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE

HANDLING: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STORAGE: Store in a cool, dry place. Keep pesticide in original container. Not for use or storage in or around the home. KEEP AWAY FROM CHILDREN. Do not store diluted spray. Do not store near heat or open flame. Do not contaminate water, food, or feed by storage or disposal.

Personal Protective Equipment: Applicators and other handlers must wear: long sleeved shirt and long pants, chemical-resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber or Viton®, shoes plus socks, and protective eyewear. Follow manufacturer's instructions for cleaning and maintaining PPE. If no instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Not normally required.

RESPIRATORY PROTECTION: Not normally required, if vapors or mists exceed acceptable levels, wear a NIOSH approved pesticide respirator.

EYE PROTECTION: Chemical goggles or shielded safety glasses.

SKIN PROTECTION: Wear protective clothing: long-sleeved shirts and pants, shoes with socks. Wear chemical-resistant gloves.

	OSHA PEL 8 hr TWA	ACGIH TLV-TWA
Malathion	15 mg/m ³ (skin)	1 mg/m ³ IV*

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOUR: Colourless to amber liquid with an aromatic solvent odour.

SPECIFIC GRAVITY (Water = 1): 1.2 g/ml

VAPOUR PRESSURE: 3.4 x 10⁻⁶ mm Hg @ 25°C (77°F)*

PERCENT VOLATILE (by volume): 27.5%

BULK DENSITY: 1.2 kg/L

BOILING POINT: 156-157°C / 312.8-314.6°F *(based on the active)

EVAPORATION RATE: Not established

SOLUBILITY: Emulsifies

pH: Not established

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: The active ingredient will decompose rapidly at temperatures above 100°C.

INCOMPATIBILITY: Strong alkalis, amines, and strong oxidizing compounds. The active ingredient can corrode iron, steel, tin plate, lead and copper.

HAZARDOUS DECOMPOSITION PRODUCTS: Dimethyl sulfide, sulfur dioxide, oxides of carbon, and phosphorous pentoxide from combustion.

HAZARDOUS POLYMERIZATION: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral LD₅₀ (rat): 5500 mg/kg (Technical)

Eye Irritation (rabbit): Slight irritation (Technical)

Inhalation LC₅₀ (male rat): 1.51 mg/L (4 hr, nose only) (Technical).

Carcinogenic Potential: Nothing listed in OSHA, NTP, IARC, or ACGIH.

Acute Dermal LD₅₀ (rabbit): > 2000 mg/kg (Technical)

Skin Irritation (rabbit): Slight irritation (Technical)

Skin Sensitization (Guinea Pig): Not a sensitizer (Technical).

12. ECOLOGICAL INFORMATION

This pesticide is toxic to fish, aquatic invertebrates, and aquatic life stages of amphibians. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

13. DISPOSAL CONSIDERATIONS

Do not reuse containers for any purpose. This product is acutely hazardous. Container is recyclable, and is to be disposed of at a container collection site. Contact your local dealer/distributor for the location of the nearest collection site. Before taking container to the collection site: Triple or pressure-rinse the empty container, adding the rinsate to the spray tank. Make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food, or feed by storage or disposal.

14. TRANSPORT INFORMATION

TDG Shipping Description: NOT REGULATED FOR GROUND OR RAIL TRANSPORT.

US DOT Shipping Description: ≤ 11 gallons (50 L) NOT REGULATED FOR GROUND OR RAIL TRANSPORT

US DOT Shipping Description: > 11 gallons (50 L): RQ ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MALATHION 85%), 9, UN3082, III, MARINE POLLUTANT, ERG GUIDE 171

U.S. Surface Freight Classification: INSECTICIDES, INSECT REPELLENTS, NOI, OTHER THAN POISON (NMFC 102120, CLASS: 60)

Consult appropriate ICAO/IATA and IMDG regulations for shipment requirements in the Air and Maritime shipping modes.

15. REGULATORY INFORMATION

NFPA & HMIS Hazard Ratings:		NFPA		HMIS	
2	Health	0	Least	2	Health
2	Flammability	1	Slight	2	Flammability
0	Instability	2	Moderate	0	Reactivity
		3	High	G	PPE
		4	Severe		

SARA Hazard Notification/Reporting

SARA Title III Hazard Category:	Immediate	<u>Y</u>	Fire	<u>N</u>	Sudden Release of Pressure	<u>N</u>
	Delayed	<u>Y</u>	Reactive	<u>N</u>		

Reportable Quantity (RQ) under U.S. CERCLA: Malathion (CAS: 121-75-5): 100 pounds

SARA, Title III, Section 313: Malathion (CAS: 121-75-5) 85.00%

RCRA Waste Code: Not listed

CA Proposition 65: Not applicable.

16. OTHER INFORMATION

SDS STATUS: Section 1 revised

PREPARED BY: Registrations and Regulatory Affairs

REVIEWED BY: Environmental Health and Safety

@Viton is a registered trademark of DUPONT PERFORMANCE ELASTOMERS

*IV: Measurable as inhalable fraction and vapour

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.